

Literature

As of June 6th, 2017



GRADIA Lab
Light-cured composite
for crown & bridge,
inlays & veneers

GC



1. Clinical performance of multi-unit Targis/Vectris fiber-reinforced bridges: one year results. St. Kistler, C. Frasch, P. Pospiech. 30th AADR - 25th CADR, March 7-10, 2001, Chicago, Illinois, USA
2. Bending Bond Strength of Prosthetic Composites in Repair Restoration, Y. Kawamoto, N. Hinokiyama, Y. Kakehashi, T. Igarashi, M. Saitoh, M. Nishiyama. 30th AADR - 25th CADR, March 7-10, 2001, Chicago, Illinois, USA
3. Physical properties of composite material for crown & bridge applications. T. Ueno, T. Sakuma, M. Katsu, N. Nakagaki. 30th AADR - 25th CADR March 7-10, 2001, Chicago, Illinois, USA
4. Effect of the Acidulated Phosphate Fluoride and Polishing on Composite Materials. K. Soeno, H. Matsumura, M. Atsuta, K. Kawasaki. 79th IADR, June 27-30, 2001, Chiba, Japan.
5. Effect of the thickness of indirect resin composite on fracture resistance. H. Tashiro, K. Furukawa, N. Inai, J. Tagami. 79th IADR, June 27-30, 2001, Chiba, Japan.
6. Flexural fatigue limit of indirect dental composites. M.J.A. Braem, G. Keteleer. 79th IADR, June 27-30, 2001, Chiba, Japan.
7. GC Composite Primer: Micro tensile bond strength of different substrates to Gradia composite resin. B. Van Meerbeek. Article cannot be published officially.
8. A novel composite system for dental applications and its properties. B. Sun, J.Lichkus, C. Ghergulescu, A. Young and S. Shaffer. Abstract 1289 – IADR, March 2007, USA.
9. Influence of opaque resin thickness on metal-composite shear bond strength. J. Geis-Gerstorfer, C. Schille and K. Hermes. Abstract 0875 – IADR, March 2007, USA.
10. Microtensile Bond Strength of Various Composite Materials to Titanium Alloys. B.S. Larson, N.R. Silva, V.P. Thompson and P.G. Coelho. Abstract 0854 – IADR, March 2007, USA.
11. Curing Efficiency of Direct and Laboratory Resin Composites after Post-curing. V.Koukoulis, C. Rahiotis and M. Gaintantzopoulou. Abstract 0285, IADR Dublin, Ireland 2006.
12. Edge-strength of fibre-reinforced resin-composites after water storage. K. Elgergeni, P. Brunton and D.C. Watts. Abstract 0330, IADR Dublin, Ireland 2006.
13. Wear comparison of indirect restoratives using two profiling systems. W.W. Barkmeier, M.A. Latta and T.M. Wilwerding. Abstract 1059, July, 2008, Toronto, Canada.
14. GC Gradia (Russian article). A.C. Naumenko. 2008, nr 3.
15. The influence of framework design on the load-bearing capacity of laboratory made inlay-retained fibre-reinforced composite fixed dental prostheses, F. Keulemans, L.V.J. Lassila, S. Garoushi, P.K. Vallittu, C.J. Kleverlaan, A.J. Feilzer, Journal of Biomechanics, 2009



16. Microtensile bond strength of resin-based composites to Ti-6Al-4V, C.A. Fernandes, J.C. Ribeiro, B.S. Larson, E.A. Bonfante, N.R. Silva, M. Suzuki, Van P. Thompson, P.G. Coelho, Dental Materials 25 (2009) 655-661
17. Evaluation of Shear Bond Strength of the Trial Artificial Teeth. Y. Nakagawa. Abstract 2446 – IADR Seattle 2013
18. Clinical performance of indirect composite onlays and overlays: 2-year follow up. A. Özsoy, M. Kuşdemir, F. Öztürk-Bozkurt, T. Toz Akalin & M. Özcan. Journal of Adhesion Science and Technology, 2016 VOL. 30, NO. 16, 1808–1818

Articles in Dental magazines

1. Filled polymer crowns – 1 & 2 year status reports, CRA Newsletter – October 1998, Volume 22, Issue 10
2. Die wichtigsten lighthärtenden Verblendmaterialien im Vergleich, Dental d.commerce 2. Jahrgang – 2/2001
3. **GC Gradia and GC Gradia Gum. Dental Prosthetics 2008 nr3**
4. Restaurer sans tenon et sans couronne les dents postérieures? E. D’Incau, A. Soenen, J-P Pia. Clinic focus, Le Fil Dentaire 98 (décembre 2014).